

Elegant Series

优雅系列





Basin / Sink / Bath Reviver Kit
Instruction & Warranty Leaflet

Installation

Basin taps & Sink mixer


1. Identify all components and check pack contents for completeness, particularly before arranging fitting.
2. Turn off the water supply and drain any water from the body.
3. Take off the existing handles and remove the valves (unscrew anticlockwise using the correct sized spanner). Take care that the body of the tap/mixer does not turn, which may disturb the connection to the pipework.
4. Try the valve in the body. **Note:small rubber washer and mini screw are fit in the valve.**
5. Measure the seating depth of your tap/mixer and then see the assembly chart to determine which spacers are required. See Fig 1.
6. Remove the Mini screw and the rubber washer from the base of the valve. Fit either 1 or 2 of the blue washers depending upon the depth of your taps/mixer and then re-fit the rubber washer to the base of the blue washers using the appropriate length screw to hold the assembly together.
7. Tighten the valve into the tap body, take care not to over tighten.
8. Fit the handles to the valve and turn on and off a few times to check the action before turning on the water supply. Secure the handles & indices with the screw and fit cap. See Fig 2.



Installation

Bath taps

1. Identify all components and check pack contents for completeness, particularly before arranging fitting.
 2. Turn off the water supply to the taps/mixer and drain any water from the body.
 3. Take off the existing handles and remove the valves (unscrew anticlockwise using the correct sized spanner). Take care that the body of the tap/mixer does not turn, which may disturb the connection to the pipework.
 4. Try the valve in the body to confirm the body thread . If the thread fits it is a 1/2"BS5412 tap following flow chart on 1/2" 5412 section. **Note:small rubber washer and mini screw are fit in the valve.**
 5. If the thread in the body is too large, then try 3/4" 5412 Tap insert (Small). If this fits then it is 3/4"BS5412 following flow chart on 3/4"5412 section.
 6. If not, the tap/mixer is BS1010 and use the 3/4"1010 Tap Insert (Large) following flow chart on 3/4"1010 section.
- Note: The Tap inserts must be fitted to the valve with the nut uppermost before the fitting of the washers.
7. Measure the seating depth of your tap/mixer and then see the assembly chart to determine which spacers are required. See Fig 1.
 8. Remove the Mini screw and the rubber washer from the base of the valve. Fit the relevant washers as per the flow chart depending upon the seating depth and the type of tap/mixer. Use the appropriate length screw to hold the assembly together.
 9. Tighten valve into the tap/mixer body, take care not to over tighten.
 10. Fit the handles to the valve and turn on and off a few times to check the action before turning on the water supply. Secure the handles & indices with the screw and fit caps. See Fig 2.




Care & Maintenance

To maintain the surface finishes, simply wipe occasionally with a mild detergent on a soft damp cloth. Dry using a soft cloth, never use abrasive cleaners or chemical household cleaners, and avoid contact with concentrated bleach. products are manufactured to the highest of standards and should require little or no maintenance. In the unlikely event of any spare part requirements, please contact our free phone helpline number.

Bath Mixer Fixing Kit

Table of contents

- A Shroud x2
- B Fixing body x2
- C 1 1/4" Back nut x2
- D 3/4" Back nut x2
- E Rubber washer x4
- F Grub screw x2
- G Hexagon socket key x1



Fitting instructions



1 Drill taphole on bath with diameter 42mm - 44mm hole



2 Fit shroud with rear lock nut



3 Fit tap securing collar to base of tap



4 Secure collar with rear lock nut




5 Feed through water supply



6 Attach water supply to tap tail



7 Locate collar onto shroud




8 Locate tap / mixer onto shrouds



9 Ensure collar is firmly in place



10 Tighten grub screw to lock mixer on to bath




11 Finished job

ELEGANT SERIES
优雅系列 >>> 面盆龙头 Basin Taps



Model: Y TZ11101L17

基础款面盆龙头-对装
Base Basin Taps Pair



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	0.84 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	8.40 kgs
装箱毛重 / PKG G.W.	8.84 kgs
外箱尺寸 / MEAS	300x180x350 mm




ELEGANT SERIES
优雅系列 >>> 面盆龙头 Basin Taps

HOMES®



Model: YTZ11101C16

面盆龙头-对装
Pair Basin Taps



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	0.84 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	8.40 kgs
装箱毛重 / PKG G.W.	8.84 kgs
外箱尺寸 / MEAS	300x180x350 mm



ELEGANT SERIES
优雅系列 >>> 面盆龙头 Basin Taps




YTZ10304C16+WE105



YTZ10304L16+WE105

Model: YTZ10304C16+WE105

面盆单孔混合龙头带弹跳下水
Mono Basin Mixer C/W Clicker Waste



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.83 kg
装箱数量 / QTY	12 pcs
装箱净重 / PKG N.W.	21.35 kgs
装箱毛重 / PKG G.W.	21.99 kgs
外箱尺寸 / MEAS	560x290x405 mm



ELEGANT SERIES
优雅系列 >>> 面盆龙头 Basin Taps





YZ11101C17



YZ11101L16

Model: YTZ11101C17

十字手柄面盆龙头-对装
Pair Cross Handle Basin Taps



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	0.96 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	8.40 kgs
装箱毛重 / PKG G.W.	8.70 kgs
外箱尺寸 / MEAS	300x180x350 mm

HOMES®



ELEGANT SERIES
优雅系列 >>> 面盆龙头 Basin Taps




YTZ11102L16



YTZ11102C17

Model: YTZ11102L16

扳手型手柄高颈龙头-对装
Pair Lever Highneck Pillar Taps



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	0.9 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	9.00 kgs
装箱毛重 / PKG G.W.	9.54 kgs
外箱尺寸 / MEAS	375x280x265 mm

HOMES®




ELEGANT SERIES

优雅系列 >>> 面盆龙头 Basin Taps



Model: YTZ10601C17

十字手柄水龙头-镀铬，单个装配红蓝标
Bib Taps with Blue and Red Indicates



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	0.371 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	3.71 kgs
装箱毛重 / PKG G.W.	4.00 kgs
外箱尺寸 / MEAS	300x180x350 mm

HOMES®



ELEGANT SERIES
优雅系列 >>> 浴缸龙头 Bath Taps



YZ11201C16




YZ11201C17



YZ11201L16

Model: YTZ11201C16

浴缸龙头-对装
Pair Bath Taps



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.18 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	11.80 kgs
装箱毛重 / PKG G.W.	12.32 kgs
外箱尺寸 / MEAS	540x255x240 mm




ELEGANT SERIES

优雅系列 >>> 浴缸龙头 Bath Taps



Model: YTZ10103C16

混合浴缸龙头
Bath Filler



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.64 kg
装箱数量 / QTY	8 pcs
装箱净重 / PKG N.W.	13.12 kgs
装箱毛重 / PKG G.W.	14.04 kgs
外箱尺寸 / MEAS	550x425x300 mm

HOMES®



ELEGANT SERIES

优雅系列 >>> 浴缸龙头 Bath Taps




YTZ10102C16



YTZ10102L16

Model: YTZ10102C16

混合浴缸龙头带手持花洒，支架和花洒管
Bath Shower Mixer



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	2.48 kg
装箱数量 / QTY	4 pcs
装箱净重 / PKG N.W.	9.92 kgs
装箱毛重 / PKG G.W.	10.42 kgs
外箱尺寸 / MEAS	425x280x285 mm

HOMES®



ELEGANT SERIES
优雅系列 >>> 厨房龙头 Kitchen Sink Taps




YTZ10501C16



YTZ10501L16

Model: YTZ10501C16

单孔混合厨房龙头
Mono Kitchen Sink Mixer



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.938 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	19.38 kgs
装箱毛重 / PKG G.W.	20.38 kgs
外箱尺寸 / MEAS	400x315x420 mm



ELEGANT SERIES
优雅系列 >>> 厨房龙头 Kitchen Sink Taps




YTZ10502C16



YTZ10502L16

Model: YTZ10502C16

双孔水槽混合龙头
Deck Sink Mixer



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.809 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	18.09 kgs
装箱毛重 / PKG G.W.	18.52 kgs
外箱尺寸 / MEAS	520x375x280 mm

HOMES®




ELEGANT SERIES
优雅系列 >>> 淋浴阀 Shower Vavles



YZ11502

Model: YTZ11502

暗装或明装单把双控淋浴阀
One Outlet Concealed & Exposed Both Mixer Shower Valve



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.775 kg
装箱数量 / QTY	8 pcs
装箱净重 / PKG N.W.	14.20 kgs
装箱毛重 / PKG G.W.	14.70 kgs
外箱尺寸 / MEAS	505x225x285 mm



HOMES®


ELEGANT SERIES

优雅系列 >>> 淋浴阀 Shower Vavles



Model: Y TZ11501

暗装或明装单把双控淋浴阀
One Outlet Concealed & Exposed Both Mixer Shower Valve



材 质 / Material	铜 / Brass
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.7 kg
装箱数量 / QTY	8 pcs
装箱净重 / PKG N.W.	13.60 kgs
装箱毛重 / PKG G.W.	14.56 kgs
外箱尺寸 / MEAS	505x225x285 mm





Business Series
商业系列

BUSINESS SERIES


商业系列 >>> 面盆龙头 Basin Tap

HOMES®



Model: XTZ10306

恒温面盆龙头
Thermostatic Mono Basin Mixer



材 质 / Material	铜 / Brass / SS304
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	1.536 kg
装箱数量 / QTY	8 pcs
装箱净重 / PKG N.W.	12.29 kgs
装箱毛重 / PKG G.W.	12.68 kgs
外箱尺寸 / MEAS	310x210x360 mm

Installation Notice:

- 1.This product is thermostatic tap, only one temperature water out. It's setted 38℃ in factory, any other temperature required, check below diagram to adjust. The tap is worked between water pressure 0.5 to 5 bar, water temperature 0-65℃.
- 2.Flush pipes to get rid of any debris blocked in pipes before installation.
- 3. After installation, turn all the joints to make sure they are firmly connected. Then turn water on and off repeatedly to ensure there are no leaks around the joints then the product can be used normally at this stage.

Note: Please follow below steps for adjust the water temperature.

